SUNMASTER



LIGHT UP YOUR COURTYARD LIFE

GARDEN LAMP

Exquisite craftsmanship, durable quality

More
+Power
Less Expense

SunMaster Solar Co., Ltd
Add: No. 2819, Haitang East Road, Jinhua Zhejiang China

Europe Branch:
Via AngeloMoro 61, San Donato Milanese, Italy


Mob: +86 139 6796 1680
Whats APP: +86 139 6796 1680

Mob: +39 348 350 4129

Web: www.chinasunmaster.com
Mail: info@chinasunmaster.com

Mail: export@chinasunmaster.com





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	Round-shaped lawn lamp
Rated Power	10W
Input Voltage	100-277V
Light Color	3000K/4000K/5000K
Luminous Flux	100lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	Four-sided lawn lamp
Rated Power	10W
Input Voltage	100-277V
Light Color	3000K/4000K/5000K
Luminous Flux	100lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	24042001
Rated Power	10W
Input Voltage	100-277V
Light Color	3000K/4000K/5000K
Luminous Flux	100lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	24071301
Light Source Power Down	3W-5W
Photovoltaic panels	5V*5W
Lithium Battery	5AH
Lighting Time	6-10hrs
LED Lifetime	2 Days (16hrs)
Light Color	4000K/5000K
Lnitial light Efficiency	150lm/W
Beam Angle	150° X 360°
Lithium Battery Life	≥ 15000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.


Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	Jazz Lawn Lamp
Light Source Power Down	3W-5W
Photovoltaic panels	6V*8W
Lithium Battery	10AH
Lighting Time	6-10hrs
LED Lifetime	2 Days (16hrs)
Light Color	4000K/5000K
Lnitial light Efficiency	150lm/W
Beam Angle	150° X 360°
Lithium Battery Life	≥ 15000H
Protection Grade	IP65







Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	Colorful lawn lights
Rated Power	5-10W
Input Voltage	100-277V
Light Color	3000K/4000K/5000K
Luminous Flux	100lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	24110203
Rated Power	20W
Input Voltage	100-277V
Light Color	3000K
Luminous Flux	100-135lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	24040202
Rated Power	10W
Input Voltage	100-277V
Light Color	3000K
Luminous Flux	100-135lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.

Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	24110205
Rated Power	20W
Input Voltage	100-277V
Light Color	3000K
Luminous Flux	100-135lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	24110204
Rated Power	20W
Input Voltage	100-277V
Light Color	3000K
Luminous Flux	100-135lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	Vitality Lawn Lamp
Rated Power	5W-10W
Input Voltage	100-277V
Light Color	3000K/4000K/5000K
Luminous Flux	100lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	Mushroom lawn lamp
Rated Power	5W-10W
Input Voltage	100-277V
Light Color	3000K/4000K/5000K
Luminous Flux	100lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	Elf Lawn Lamp
Rated Power	5W-10W
Input Voltage	100-277V
Light Color	3000K/4000K/5000K
Luminous Flux	100lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	Waterfall Lawn Lamp
Rated Power	5W-10W
Input Voltage	100-277V
Light Color	3000K/4000K/5000K
Luminous Flux	100lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.


Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	Leaf and branch lawn lights
Rated Power	10W-25W
Input Voltage	100-277V
Light Color	3000K/4000K/5000K
Luminous Flux	100lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65







Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	Triangle Lawn Lamp
Rated Power	5W-10W
Input Voltage	100-277V
Light Color	3000K/4000K/5000K
Luminous Flux	100lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	Flower lawn lights
Rated Power	5W-10W
Input Voltage	100-277V
Light Color	3000K/4000K/5000K
Luminous Flux	100lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	24080208
Rated Power	10W
Input Voltage	100-277V
Light Color	3000K/4000K/5000K
Luminous Flux	100lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	Lina Lawn Lamp
Rated Power	5W-10W
Input Voltage	100-277V
Light Color	3000K/4000K/5000K
Luminous Flux	100lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65







Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	Round B Lawn Lamp
Rated Power	5W-10W
Input Voltage	100-277V
Light Color	3000K/4000K/5000K
Luminous Flux	100-120lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	Jinshi Hao B Lawn Lamp
Rated Power	5W-10W
Input Voltage	100-277V
Light Color	3000K/4000K/5000K
Luminous Flux	100lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	Jinshi Hao A Lawn Lamp
Rated Power	5W-10W
Input Voltage	100-277V
Light Color	3000K/4000K/5000K
Luminous Flux	100-120lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	Golden Triangle A Lawn Lamp
Rated Power	10W
Input Voltage	100-277V
Light Color	3000K
Luminous Flux	100-120lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	Golden Triangle B Lawn Lamp
Rated Power	5W-10W
Input Voltage	100-277V
Light Color	3000K/4000K/5000K
Luminous Flux	100-120lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	Golden Mushroom lawn lamp
Rated Power	5W-10W
Input Voltage	100-277V
Light Color	3000K/4000K/5000K
Luminous Flux	100lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	Round A Lawn Lamp
Rated Power	5W-15W
Input Voltage	100-277V
Light Color	3000K/4000K/5000K
Luminous Flux	100lm/W
Beam Angle	160° X 360°
LED Lifetime	>70000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	Round Area C Lawn Lamp
Rated Power	5W-15W
Input Voltage	100-277V
Light Color	3000K/4000K/5000K
Luminous Flux	120-150lm/W
Beam Angle	160° X 360°
LED Lifetime	>70000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.


Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	Round Area B Lawn Lamp
Rated Power	5W-15W
Input Voltage	100-277V
Light Color	3000K/4000K/5000K
Luminous Flux	120-150lm/W
Beam Angle	160° X 360°
LED Lifetime	>70000H
Protection Grade	IP65







Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	24090506
Rated Power	5W-10W
Input Voltage	100-277V
Light Color	3000K/4000K/5000K
Luminous Flux	100lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.


Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	Lighthouse Lawn Lamp
Rated Power	5W-10W
Input Voltage	100-277V
Light Color	3000K/4000K/5000K
Luminous Flux	100lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65







Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	Sparkling lawn lights
Rated Power	5W-10W
Input Voltage	100-277V
Light Color	3000K/4000K/5000K
Luminous Flux	100lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	Cylinder-shaped lawn lamp
Rated Power	5W-10W
Input Voltage	100-277V
Light Color	3000K/4000K/5000K
Luminous Flux	100lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.


Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	YT2312 lawn lamp
Rated Power	5W-10W
Input Voltage	100-277V
Light Color	3000K/4000K/5000K
Luminous Flux	100lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65







Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	YT2311 lawn lamp
Rated Power	5W-10W
Input Voltage	100-277V
Light Color	3000K/4000K/5000K
Luminous Flux	100lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.


Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	SMM-151
Rated Power	220W-240W
Input Voltage	100-277V
Light Color	3000K/4000K/5000K
Luminous Flux	120-200lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65







Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	SMMT-161
Rated Power	80W
Input Voltage	100-277V
Light Color	6000-6500K
Luminous Flux	120lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.

Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	SMM-171
Rated Power	30W/60W/90W
Input Voltage	100-277V
Light Color	3000K/4000K/5000K
Luminous Flux	100lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	SMM-181
Rated Power	20W/30W/60W
Input Voltage	100-277V
Light Color	3000K/4000K/5000K
Luminous Flux	100-120lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.


Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	SMM-2404
Rated Power	80W
Input Voltage	100-277V
Light Color	6000K-6500K
Luminous Flux	120lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	SMM-2205
Rated Power	30W/60W/90W
Input Voltage	100-277V
Light Color	3000K/4000K/5000K
Luminous Flux	120-150lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	24110701
Rated Power	50W
Input Voltage	100-277V
Light Color	3000K
Luminous Flux	120-150lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.


Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	24110801
Rated Power	30W/60W/90W
Input Voltage	100-277V
Light Color	3000K/4000K/5000K
Luminous Flux	120-150lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.

Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	24090877
Rated Power	20W/30W/60W
Input Voltage	100-277V
Light Color	3000K/4000K/5000K
Luminous Flux	90-100lm/W
Beam Angle	150° X70°
LED Lifetime	>70000H
Protection Grade	IP65





Product Feature

Verall Structure Design: Simple and elegant, with sleek lines and cultural characteristics.

Material: Made of national standard ADC12 die-cast aluminum.

Finish: Precision shot blasting and heat transfer technology for a high-quality texture.

Configuration: Injection-molded PC lamp shade, UV-resistant,self-cleaning, and durable.

Light Source: Scientifically designed for uniform and soft light distribution.

Application: Suitable for apartments, commercial streets, parks,roads, and other public spaces.

Product Feature

Product Name	24090977
Rated Power	30W/60W/90W
Input Voltage	100-277V
Light Color	3000K/4000K/5000K
Luminous Flux	90-100lm/W
Beam Angle	150° X 360°
LED Lifetime	>70000H
Protection Grade	IP65